L Number	Hits	Search Text	DB	Time stamp
1	1305	((138/153) or (138/151) or (138/114)).CCLS.	USPAT;	2003/12/17 14:34
			US-PGPUB	
2	160	(464/181).CCLS.	USPAT;	2003/12/17 14:34
_			US-PGPUB	
3	2517	pultrusion	USPAT;	2003/12/17 14:35
4	,,	((4(4)101) 0010) - 1 - 111	US-PGPUB	2002/12/17 14 41
4	14	((464/181).CCLS.) and pultrusion	USPAT; US-PGPUB	2003/12/17 14:41
5	33	("1858650" "2440144" "2869339" "3479704" "3553978"	USPAT	2003/12/17 14:36
J	33	"3632263" "3659434" "3707113" "3716612" "3968561"	OSIAI	2003/12/17 14.30
		"4038359" "4063429" "4101617" "4169304" "4216634"		
	•	"4256685" "4372668" "4380442" "4474717" "4555225"		
		"4600548" "4660963" "4800057" "4988472" "5425675"		
		"5439416" "5533247" "5538475" "5683641" "5744238"		
		"5876288" "5893210" "5913937").PN.		
6	12	("2751765" "4014184" "4649960" "4909361" "5566721"	USPAT	2003/12/17 14:38
		"5685344" "5762109" "5868627" "5924531" "5976021"		
		"6241062"- "6279221").PN	+	
7	9	(((138/153) or (138/151) or (138/114)).CCLS.) and pultrusion	USPAT;	2003/12/17 14:42
_			US-PGPUB	
8	1462	(((138/153) or (138/151) or (138/114)).CCLS.) or	USPAT,	2003/12/17 14:42
0	55504	((464/181).CCLS.)	US-PGPUB	2002/10/17 14 40
9	55784	transmission with shaft	USPAT;	2003/12/17 14:42
10	5526	tensile with elasticity	US-PGPUB USPAT;	2003/12/17 14:43
10	3320	tensile with elasticity	US-PGPUB	2003/12/17 14:43
12	2	(tensile with elasticity) and ((transmission with shaft) and	USPAT;	2003/12/17 14:43
12		pultrusion)	US-PGPUB	2003/12/17 14.43
11	16	(transmission with shaft) and pultrusion	USPAT;	2003/12/17 14:45
• •		(US-PGPUB	
15	16136	fiber with bundle	USPAT;	2003/12/17 14:46
			US-PGPUB	
16	9	(((((138/153) or (138/151) or (138/114)).CCLS.) or	USPAT;	2003/12/17 14:46
		((464/181).CCLS.)) and (fiber with bundle)	US-PGPUB	
17	19	("4089190" "4171626" "4238540" "4248062" "4569710"	USPAT	2003/12/17 14:46
•		"4605385" "4664644" "4863416" "4888224" "4963210"		
		"5061533" "5110644" "5222915" "5288109" "5342464"		
14	12	"5683300" "5836825" "5851152" "6240971").PN. ((((138/153) or (138/151) or (138/114)).CCLS.) or	USPAT:	2003/12/17 14:48
14	12	(((138/133) of (138/131) of (138/114)). CCLS.) of ((464/181). CCLS.)) and (tensile with elasticity)	US-PGPUB	2003/12/17 14.46
13	65	((((138/153) or (138/151) or (138/114)).CCLS.) or	USPAT;	2003/12/17 14:53
13		(((464/181).CCLS.)) and (transmission with shaft)	US-PGPUB	2003/12/17 17.33
18	128970	liner or lining	USPAT;	2003/12/17 14:53
_			US-PGPUB	
20	145	(((((138/153) or (138/151) or (138/114)).CCLS.) or	USPAT;	2003/12/17 14:53
		((464/181).CCLS.)) and (liner or lining)	US-PGPUB	1
19	9	((464/181).CCLS.) and (liner or lining)	USPAT;	2003/12/17 14:54
			US-PGPUB	
21	136	((((((138/153) or (138/151) or (138/114)).CCLS.) or	USPAT;	2003/12/17 14:58
		((464/181).CCLS.)) and (liner or lining)) not (((464/181).CCLS.)	US-PGPUB	
	***	and (liner or lining))	1100	0000/10/17 11 11
22	2070	(liner or lining) and (transmission with shaft)	USPAT;	2003/12/17 14:56
22		((lines on lining) and (transmission with the A)) and a with	US-PGPUB	2002/12/17 14:57
23	4	((liner or lining) and (transmission with shaft)) and pultrusion	USPAT;	2003/12/17 14:57
24	4	((liner or lining) and (transmission with shaft)) and (tensile with	US-PGPUB USPAT;	2003/12/17 14:57
27	4	elasticity)	US-PGPUB	2003/12/1/ 14.3/

25	2003/12/17 14:59
"3707113" "3716612" "3968561" "4038359" "4063429" "4101617" "4169304" "4216634" "4256685" "4372668" "4380442" "4474717" "4555225" "4600548" "4660963" "4800057" "4988472" "5425675" "5439416" "5533247" "5538475" "5683641" "5744238" "5876288" "5893210" "5913937").PN.) or (("2751765" "4014184" "4649960" "4909361" "5566721" "5685344" "5762109" "5868627" "5924531" "5976021" "6241062" "6279221").PN.) or (((((138/153) or (138/151) or (138/114)).CCLS.) and pultrusion) or	
"4101617" "4169304" "4216634" "4256685" "4372668" "4380442" "4474717" "4555225" "4600548" "4660963" "4800057" "4988472" "5425675" "5439416" "5533247" "5538475" "5683641" "5744238" "5876288" "5893210" "5913937").PN.) or (("2751765" "4014184" "4649960" "4909361" "5566721" "5685344" "5762109" "5868627" "5924531" "5976021" "6241062" "6279221").PN.) or ((((138/153) or (138/151) or (138/114)).CCLS.) and pultrusion) or	
"4380442" "4474717" "4555225" "4600548" "4660963" "4800057" "4988472" "5425675" "5439416" "5533247" "5538475" "5683641" "5744238" "5876288" "5893210" "5913937").PN.) or (("2751765" "4014184" "4649960" "4909361" "5566721" "5685344" "5762109" "5868627" "5924531" "5976021" "6241062" "6279221").PN.) or ((((138/153) or (138/151) or (138/114)).CCLS.) and pultrusion) or	
"4800057" "4988472" "5425675" "5439416" "5533247" "5538475" "5683641" "5744238" "5876288" "5893210" "5913937").PN.) or (("2751765" "4014184" "4649960" "4909361" "5566721" "5685344" "5762109" "5868627" "5924531" "5976021" "6241062" "6279221").PN.) or ((((138/153) or (138/151) or (138/114)).CCLS.) and pultrusion) or	
"5538475" "5683641" "5744238" "5876288" "5893210" "5913937").PN.) or (("2751765" "4014184" "4649960" "4909361" "5566721" "5685344" "5762109" "5868627" "5924531" "5976021" "6241062" "6279221").PN.) or ((((138/153) or (138/151) or (138/114)).CCLS.) and pultrusion) or	
"5913937").PN.) or (("2751765" "4014184" "4649960" "4909361" "5566721" "5685344" "5762109" "5868627" "5924531" "5976021" "6241062" "6279221").PN.) or ((((138/153) or (138/151) or (138/114)).CCLS.) and pultrusion) or	
"4909361" "5566721" "5685344" "5762109" "5868627" "5924531" "5976021" "6241062" "6279221").PN.) or ((((138/153) or (138/151) or (138/114)).CCLS.) and pultrusion) or	
"5924531" "5976021" "6241062" "6279221").PN.) or ((((138/153) or (138/151) or (138/114)).CCLS.) and pultrusion) or	
(((((138/153) or (138/151) or (138/114)).CCLS.) and pultrusion) or	
((transmission with shaft) and pultrusion) or ((tansile with	
elasticity) and ((transmission with shaft) and pultrusion)) or	
(((((138/153) or (138/151) or (138/114)).CCLS.) or	
((464/181).CCLS.)) and (fiber with bundle)) or (("4089190"	
"4171626" "4238540" "4248062" "4569710" "4605385"	
"4664644" "4863416" "4888224" "4963210" "5061533"	
"5110644" "5222915" "5288109" "5342464" "5683300"	
"5836825" "5851152" "6240971").PN.) or (((((138/153) or	
(138/151) or (138/114)).CCLS.) or ((464/181).CCLS.)) and	
(transmission with shaft)) or ((((138/153) or (138/151) or	
(138/114)).CCLS.) or ((464/181).CCLS.)) and (tensile with	
elasticity)) or (((464/181).CCLS.) and (liner or lining)) or	
((((((138/153) or (138/151) or (138/114)).CCLS.) or	
(((((136/135) of (136/131) of (136/131)).ccls.) of ((464/181).ccls.)) and (liner or lining)) not (((464/181).ccls.)	
and (liner or lining))) or (((liner or lining)) and (transmission with	
shaft)) and pultrusion) or (((liner or lining) and (transmission with	
shaft)) and (tensile with elasticity))	
26 1232 ((((138/153) or (138/151) or (138/114)).CCLS.) or USPAT;	2003/12/17 15:00
(((136/135) of (136/131) of (136/14)).CCLS.) of US-PGPUB	2003/12/17 13.00
(("1858650" "2440144" "2869339" "3479704" "3553978"	
"3632263" "3659434" "3707113" "3716612" "3968561"	
"4038359" "4063429" "4101617" "4169304" "4216634"	
"4256685" "4372668" "4380442" "4474717" "4555225"	
"5439416" "5533247" "5538475" "5683641" "5744238"	
"5876288" "5893210" "5913937").PN.) or (("2751765"	
"4014184" "4649960" "4909361" "5566721" "5685344"	
"5762109" "5868627" "5924531" "5976021" "6241062"	
"6279221").PN.) or ((((138/153) or (138/151) or (138/114)).CCLS.)	
and pultrusion) or ((transmission with shaft) and pultrusion) or	
((tensile with elasticity) and ((transmission with shaft) and	
pultrusion)) or (((((138/153) or (138/151) or (138/114)).CCLS.) or	
((464/181).CCLS.)) and (fiber with bundle)) or (("4089190"	
"4171626" "4238540" "4248062" "4569710" "4605385"	
"4664644" "4863416" "4888224" "4963210" "5061533"	
"5110644" "5222915" "5288109" "5342464" "5683300"	
"5836825" "5851152" "6240971").PN.) or (((((138/153) or	
(138/151) or (138/114)).CCLS.) or ((464/181).CCLS.)) and	
(transmission with shaft)) or (((((138/153) or (138/151) or	
(138/114)).CCLS.) or ((464/181).CCLS.)) and (tensile with	
elasticity)) or (((464/181).CCLS.) and (liner or lining)) or	
(((((((138/153) or (138/151) or (138/114)).CCLS.) or	
((464/181).CCLS.)) and (liner or lining)) not (((464/181).CCLS.)	
and (liner or lining))) or (((liner or lining) and (transmission with	
shaft)) and pultrusion) or (((liner or lining) and (transmission with	
shaft)) and (tensile with elasticity)))	

	Document ID	Current OR	Current XRef	2	3	4	5
1	US 200201280 80 A1	464/181	264/513; 264/572	☒		☒	
2	US 200201172 28 A1	138/153	138/114; 138/151; 464/181	⊠	⊠	⊠	×
3	US 6517440 B2	464/179	264/274; 464/181; 464/183	⋈		☒	
4	US 5893210 A	29/895.32	264/274; 264/275; 29/895.21; 400/662; 492/47; 492/54				
5	US 5876288 A	464/181	264/267; 264/273				
6	US 5683641 A	264/267	264/273				
7	US 5538475 A	464/181		×		×	
8	US 5425675 A	464/28	464/180; 464/183				
9	US 3659434 A	29/407.01	464/180; 464/181; 74/573R				
10	US 6409606 B1	464/181	138/114; 138/143; 464/183; 464/902	×	⊠	☒	
11	US 6279221 B1	29/527.2	29/428; 403/359.6				
12	US 6241062 B1	188/378	188/18A; 188/372; 188/67; 267/136				
13	US 5976021 A	464/180	138/109; 277/625; 464/183				

	Document ID	Current OR	Current XRef	2	3	4	5
14	US 5924531 A	188/372	464/180				
15	US 4265951 A	428/35.9	156/172; 156/173; 156/188; 156/189; 156/191; 156/194; 285/114; 285/242; 464/181	\boxtimes		\boxtimes	
16	US 4238540 A	428/35.9	156/172; 156/173; 156/175; 156/189; 428/34.5; 428/367; 464/181; 464/183	⊠		×	
17	US 4171626 A	464/181	138/130; 138/144; 138/DIG.2; 156/173; 428/34.5; 428/367; 428/392; 428/408; 428/902	⊠		×	\boxtimes
18	US 6148866 A	138/125	138/114; 138/123; 174/47	⊠	☒		
19	US 5921285 A	138/125	138/114; 138/123; 174/47	Ø	⊠		
20	US 5913337 A	138/125	138/130; 138/132; 138/144; 138/153; 138/174	⊠			

	Document ID	Current OR	Current XRef	2	3	4	5
21	US 5015514 A	428/36.4	138/140; 138/153; 138/172; 337/186; 337/246; 337/273; 337/276; 337/414; 428/36.91	⊠			
22	US 6350204 B1	464/181	156/172; 464/183				☒
23	US 6240971 B1	138/153	138/134; 138/141				
24	US 5851152 A	464/181	464/183			\boxtimes	
25	US 5683300 A	464/181	242/447.1; 464/183			×	
26	US 5342464 A	156/172	156/187; 156/242; 156/293; 156/309.6; 464/181; 464/182; 464/183		_		
27	US 5061533 A	428/36.3	428/110; 428/113; 492/53; 492/59				
28	US 4888224 A	428/35.9	138/128; 138/141; 428/397; 428/902; 464/181			×	
29	US 4664644 A	464/180	156/172; 428/34.5; 428/35.9; 428/36.3; 464/181			×	

	Document ID	Current OR	Current XRef	2	3	4	5
30	US 4248062 A	464/181	138/130; 156/143; 156/148; 156/149; 156/173; 464/58			⊠	
31	US 6508276 B2	138/125	138/124; 138/153		⊠		
32	US 4713040 A	464/132	464/181; 464/183		×	Ø	
33	US 4657795 A	280/281.1	138/153; 138/172; 138/DIG.2; 138/DIG.3; 428/34.5; 428/36.1; 428/36.3; 442/21; 442/23; 442/24; 87/9		\boxtimes		
34	US 4663819 A	29/432	29/525; 403/282; 403/283; 403/359.2; 464/181			⊠	
35	US 4272971 A	464/181	138/141; 138/153; 138/174; 464/183; 464/903			×	
36	US 5363929 A	175/107	428/36.3; 464/181				
37	US 3071162 A	138/140	138/118; 138/153; 138/DIG.2; 264/DIG.53				

	Document ID	Current OR	Current XRef	2	3	4	5
38	US 2379258 A	144/349	138/151; 144/346; 144/351; 156/192; 156/304.1; 493/274; 493/297; 493/303				
39	US 2369204 A	138/114	138/148; 29/455.1; 29/517; 29/523				